

Komoditas : KACANG POLONG

1. **Reducing Concentrate Supplementation in Dairy Cow Diets While Maintaining Milk Production with Pea-Wheat Intercrops***
A T Adesogan, M B Salawu, S P Williams, W J Fisher, R J Dewhurst. Journal of Dairy Science. Champaign: Oct 2004. Vol. 87, Iss. 10; p. 3398 (9 pages)
2. **Pea progress**
Farmers Guardian. Tonbridge: Sep 3, 2004. p. 26
3. **Registration of 'Stirling' Green Dry Pea**
K E McPhee, F J Muehlbauer. Crop Science. Madison: Sep/Oct 2004. Vol. 44, Iss. 5; p. 1868 (2 pages)
4. **DAIRY EVENT: Forage pea catch crop**
Dairy Farmer. Tonbridge: Sep 1, 2004. p. 55
5. **Assessment of the feeding value of South Dakota-grown field peas (*Pisum sativum* L.) for growing pigs^{1,2}**
H H Stein, G Benzoni, R A Bohlke, D N Peters. Journal of Animal Science. Savoy: Sep 2004. Vol. 82, Iss. 9; p. 2568 (11 pages)
6. **Cellular and Subcellular Localization of Endogenous Nitric Oxide in Young and Senescent Pea Plants^{1,2}**
Francisco J Corpas, Juan B Barroso, Alfonso Carreras, Miguel Quirós, et al. Plant Physiology. Rockville: Sep 2004. Vol. 136, Iss. 1; p. 2722 (12 pages)
7. **A Dominant Mutation in the Pea PHYA Gene Confers Enhanced Responses to Light and Impairs the Light-Dependent Degradation of Phytochrome A1**
James L Weller, Shona L Batge, Jennifer J Smith, L Huub J Kerckhoffs, et al. Plant Physiology. Rockville: Aug 2004. Vol. 135, Iss. 4; p. 2186 (10 pages)
8. **Brassinosteroid Deficiency Due to Truncated Steroid 5[alpha]-Reductase Causes Dwarfism in the lk Mutant of Pea1**
Takahito Nomura, Corinne E Jager, Yukiko Kitasaka, Keiichi Takeuchi, et al. Plant Physiology. Rockville: Aug 2004. Vol. 135, Iss. 4; p. 2220 (10 pages)
9. **Brassinosteroids Do Not Undergo Long-Distance Transport in Pea. Implications for the Regulation of Endogenous Brassinosteroid Levels¹**
Gregory M Symons, James B Reid. Plant Physiology. Rockville: Aug 2004. Vol. 135, Iss. 4; p. 2196 (11 pages)

10. **Proteome Reference Maps of Vegetative Tissues in Pea. An Investigation of Nitrogen Mobilization from Leaves during Seed Filling¹**
S everine Schiltz, Karine Gallardo, Myriam Huart, Luc Negroni, et al. Plant Physiology. Rockville: Aug 2004. Vol. 135, Iss. 4; p. 2241 (20 pages)
11. **Combination of protein-rich pea flour and pea extract with insecticides and enzyme inhibitors for control of stored-product beetles**
Xingwei Hou, Paul Fields, Wes Taylor. Canadian Entomologist. Ottawa: Jul/Aug 2004. Vol. 136, Iss. 4; p. 581 (10 pages)
12. **Effect of field pea level on intake, digestion, microbial efficiency, ruminal fermentation, and in situ disappearance in beef steers fed forage-based diets**
J J Reed, G P Lardy, M L Bauer, T C Gilbery, J S Caton. Journal of Animal Science. Savoy: Jul 2004. Vol. 82, Iss. 7; p. 2185
13. **Effect of field pea level on intake, digestion, microbial efficiency, ruminal fermentation, and in situ disappearance in beef steers fed growing diets**
J J Reed, G P Lardy, M L Bauer, T C Gilbery, J S Caton. Journal of Animal Science. Savoy: Jul 2004. Vol. 82, Iss. 7; p. 2123
14. **Introduction of Plant and Fungal Genes into Pea (*Pisum sativum* L.) Hairy Roots Reduces Their Ability to Produce Pisatin and Affects Their Response to a Fungal Pathogen**
Qindong Wu, Hans D VanEtten. Molecular Plant-Microbe Interactions. St. Paul: Jul 2004. Vol. 17, Iss. 7; p. 798 (7 pages)
15. **Pea down sclerotinia**
Anonymous. Crops. Sutton: Jun 19, 2004. p. 34 (1 page)
16. **Vining pea dilemma for IACS**
Robert More. Crops. Sutton: Jun 19, 2004. p. 14 (1 page)
17. **Effect of field pea replacement level on intake and digestion in beef steers fed by-product-based medium-concentrate diets¹**
S A Soto-Navarro, G J Williams, M L Bauer, G P Lardy, et al. Journal of Animal Science. Savoy: Jun 2004. Vol. 82, Iss. 6; p. 1855 (8 pages)
18. **Activity and protein level of AO isoforms in pea plants (*Pisum sativum* L.) during vegetative development and in response to stress conditions; [1]**
Edyta Zdunek-Zastocka, Rustem T. Omarov, Tomokazu Koshiba, Herman S. Lips. J. of Exp. Botany. Oxford: Jun 01, 2004. Vol. 55, Iss. 401; p. 1361

19. **Activity and protein level of AO isoforms in pea plants (*Pisum sativum* L.) during vegetative development and in response to stress conditions**
Edyta Zdunek-Zastocka, Rustem T. Omarov, Tomokazu Koshiba, Herman S. Lips. *Journal of Experimental Botany*. Oxford: Jun 01, 2004. Vol. 55, Iss. 401; p. 1361
20. **A Promoter from Pea Gene DRR206 Is Suitable to Regulate an Elicitor-Coding Gene and Develop Disease Resistance**
Jane Junghae Choi, Steven Joseph Klosterman, Lee A Hadwiger. *Phytopathology*. St. Paul: Jun 2004. Vol. 94, Iss. 6; p. 651 (10 pages)
21. **Pea protection**
Arable Farming. Tonbridge: May 10, 2004. p. 3
22. **Barley, Oat, and Cereal-Pea Mixtures as Dryland Forages in the Northern Great Plains**
Patrick M Carr, Richard D Horsley, Woodrow W Poland. *Agronomy Journal*. Madison: May/Jun 2004. Vol. 96, Iss. 3; p. 677 (8 pages)
23. **Marked changes in volume of mesophyll protoplasts of pea (*Pisum sativum*) on exposure to growth hormones**
Venkat Apparao Kolla, Dontamala Suhita, Agepati S Raghavendra. *Journal of Plant Physiology*. Stuttgart: May 2004. Vol. 161, Iss. 5; p. 557 (6 pages)
24. **Copper Transport Across Pea Thylakoid Membranes**
Richard Shingles, Larry E Wimmers, Richard E McCarty. *Plant Physiology*. Rockville: May 2004. Vol. 135, Iss. 1; p. 145 (7 pages)
25. **Future of the frozen pea gets greener**
Farmers Guardian. Tonbridge: Apr 30, 2004. p. 30
26. **Slow growth puts crops at risk to pea and bean weevils**
Farmers Guardian. Tonbridge: Apr 30, 2004. p. 30
27. **The pea processing operation**
Farmers Guardian. Tonbridge: Apr 30, 2004. p. 30
28. **BCM-H Tech pea viner**
Anonymous. *Crops*. Sutton: Apr 24, 2004. p. 19 (1 page)
29. **Cloning and expression of cytosolic phosphoglycerate kinase from pea (*Pisum sativum* L.)**
David C. Brice, John A. Bryant, Gerardas Dambrauskas, Suzanne C. Drury, Jennifer A. Littlechild. *J. of Exp. Bot.* Oxford: Apr 01, 2004. Vol. 55, Iss. 398; p. 955

30. **Ectopic Expression of Maize Polyamine Oxidase and Pea Copper Amine Oxidase in the Cell Wall of Tobacco Plants¹**
Giuseppina Rea, Maria Concetta de Pinto, Raffaella Tavazza, Stefania Biondi, et al. *Plant Physiology*. Rockville: Apr 2004. Vol. 134, Iss. 4; p. 1414 (13 pages)
31. **Pea protein benefits**
Farmers Guardian. Tonbridge: Mar 19, 2004. p. 75
32. **Biological control of Pythium damping-off of pea and sugar beet by *Rhizobium leguminosarum* bv. *viciae*¹**
Sylvie D Bardin, Hung-Chang Huang, Joanna Pinto, Eric J Amundsen, R Scott Erickson. *Canadian Journal of Botany*. Ottawa: Mar 2004. Vol. 82, Iss. 3; p. 291 (6 pages)
33. **SEVEN ENZYMES OF CARBON METABOLISM, INCLUDING THREE CALVIN CYCLE ISOZYMES, ARE PRESENT IN THE SECONDARY CELL WALL THICKENINGS OF THE DEVELOPING XYLEM TRACHEARY ELEMENTS IN PEA LEAVES**
Louise E Anderson, Andrew A Carol. *International Journal of Plant Sciences*. Chicago: Mar 2004. Vol. 165, Iss. 2; p. 243
34. **Phytochrome regulation of pea phototropin**
Robert C Elliott, J Damien Platten, John C Watson, James B Reid. *Journal of Plant Physiology*. Stuttgart: Mar 2004. Vol. 161, Iss. 3; p. 265 (6 pages)
35. **The Pea Gene LH Encodes ent-Kaurene Oxidase¹**
Sandra E Davidson, Jennifer J Smith, Chris A Helliwell, Andrew T Poole, James B Reid. *Plant Physiology*. Rockville: Mar 2004. Vol. 134, Iss. 3; p. 1123 (12 pages)
36. **Plant Competition Effects on the Nitrogen Economy of Field Pea and the Subsequent Crop**
Y K Soon, K N Harker, G W Clayton. *Soil Science Society of America Journal*. Madison: Mar/Apr 2004. Vol. 68, Iss. 2; p. 552 (6 pages)
37. **Bacteria + Fungi = More Peas?**
Jan Suszkiw. *Agricultural Research*. Washington: Feb 2004. Vol. 52, Iss. 2; p. 19 (1 page)
38. **Response to water deficit and high temperature of transgenic peas (*Pisum sativum* L.) containing a seed-specific [alpha]-amylase inhibitor and the subsequent effects on pea weevil (*Bruchus pisorum* L.) survival**

- Maria Jose de Sousa-Majer, Neil C. Turner, Darryl C. Hardie, Roger L. Morton, et al. *Journal of Experimental Botany*. Oxford: Feb 01, 2004. Vol. 55, Iss. 396; p. 497
39. **Cell Surface Interactions of Rhizobium Bacteroids and Other Bacterial Strains with Symbiosomal and Peribacteroid Membrane Components from Pea Nodules**
Luis Bolanos, Miguel Redondo-Nieto, Rafael Rivilla, Nicholas J Brewin, Ildefonso Bonilla. *Molecular Plant-Microbe Interactions*. St. Paul: Feb 2004. Vol. 17, Iss. 2; p. 216 (8 pages)
40. **Two Distinct Signaling Pathways Participate in Auxin-Induced Swelling of Pea Epidermal Protoplasts**
Mutsumi Yamagami, Ken Haga, Richard M Napier, Moritoshi Iino. *Plant Physiology*. Rockville: Feb 2004. Vol. 134, Iss. 2; p. 735 (13 pages)
41. **Prices threaten barley and vining peas**
Robert More. *Crops*. Sutton: Jan 31, 2004. p. 19 (1 page)
42. **RECOMMENDED LIST: Peas**
Arable Farming. Tonbridge: Jan 19, 2004. p. 8
43. **Water Use and Biomass Production of Oat-Pea Hay and Lentil in a Semiarid Climate**
J L Pikul Jr, J K Aase, V L Cochran. *Agronomy Journal*. Madison: Jan/Feb 2004. Vol. 96, Iss. 1; p. 298 (7 pages)
44. **Efficiency of Spatial Analyses of Field Pea Variety Trials**
Rong-Cai Yang, Terrance Z Ye, Stanford F Blade, Manjula Bandara. *Crop Science*. Madison: Jan/Feb 2004. Vol. 44, Iss. 1; p. 49 (7 pages)
45. **Location and effects of long-term NaCl stress on superoxide dismutase and ascorbate peroxidase isoenzymes of pea (*Pisum sativum* cv. Puget) chloroplasts**
J. M. Gomez, A. Jimenez, E. Olmos, F. Sevilla. *Journal of Experimental Botany*. Oxford: Jan 01, 2004. Vol. 55, Iss. 394; p. 119
46. **Complex cis-elements determine an RNA editing site in pea mitochondria**
Mizuki Takenaka, Julia Neuwirt, Axel Brennicke. *Nucleic Acids Research*. Oxford: 2004. Vol. 32, Iss. 14; p. 4137
47. **Occurrence of White Top of Pea Caused by a New Strain of *Pseudomonas syringae* pv. *pea***

- A Suzuki, M Togawa, K Ohta, Y Takikawa. *Plant Disease*. St. Paul: Dec 2003. Vol. 87, Iss. 12; p. 1404
48. **Fullerene peas in porphyrin pods**
Phillip D Szuromi. *Science*. Washington: Nov 21, 2003. Vol. 302, Iss. 5649; p. 1297
49. **Can sucrose content in the phloem sap reaching field pea seeds (*Pisum sativum* L.) be an accurate indicator of seed growth potential?**
Nathalie Munier-Jolain, Christophe Salon. *Journal of Experimental Botany*. Oxford: Nov 01, 2003. Vol. 54, Iss. 392; p. 2457
50. **Seasonal changes in carbohydrates of perennial root nodules of beach pea**
Gurusamy Chinnasamy, Arya Kumar Bal. *Journal of Plant Physiology*. Stuttgart: Oct 2003. Vol. 160, Iss. 10; p. 1185
51. **Altered life cycle in arabidopsis plants expressing PsUGT1, a UDP-glucuronosyltransferase-encoding gene from pea**
Ho-Hyung Woo, Kym F Faull, Ann M Hirsch, Martha C Hawes. *Plant Physiology*. Rockville: Oct 2003. Vol. 133, Iss. 2; p. 538
52. **Increased stool frequency occurs when finely processed pea hull fiber is added to usual foods consumed by elderly residents in long-term care**
Wendy J Dahl, Susan J Whiting, Adrienne Healey, Gordon A Zello, Sherri L Hildebrandt. *American Dietetic Association. Journal of the American Dietetic Association*. Chicago: Sep 2003. Vol. 103, Iss. 9; p. 1199 (4 pages)
53. **Stimulatory effect of cytokinins and interaction with IAA on the release of lateral buds of pea plants from apical dominance**
Chunjian Li, Fritz Bangerth. *Journal of Plant Physiology*. Stuttgart: Sep 2003. Vol. 160, Iss. 9; p. 1059
54. **Famous face lifts launch of sweet pea for charity**
Anonymous. *Horticulture Week*. Teddington: Aug 21, 2003. p. 10
55. **Pea DNA topoisomerase I is phosphorylated and stimulated by casein kinase 2 and protein kinase C**
Narendra Tuteja, Malireddy Kodandarami Reddy, Yashwanti Mudgil, Badam Singh Yadav, et al. *Plant Physiology*. Rockville: Aug 2003. Vol. 132, Iss. 4; p. 2108
56. **Rushing round to catch the peas**
Robert More. *Crops*. Sutton: Jul 19, 2003. p. 31

57. **Response of early-weaned pigs to an enterotoxigenic *Escherichia coli* (K88) challenge when fed diets containing spray-dried porcine plasma or pea protein isolate plus egg yolk antibody¹**
A Owusu-Asiedu, C M Nyachoti, S K Baidoo, R R Marquardt, X Yang. *Journal of Animal Science*. Savoy: Jul 2003. Vol. 81, Iss. 7; p. 1781
58. **Response of early-weaned pigs to an enterotoxigenic *Escherichia coli* (K88) challenge when fed diets containing spray-dried porcine plasma or pea protein isolate plus egg yolk antibody, zinc oxide, fumaric acid, or antibiotic¹**
A Owusu-Asiedu, C M Nyachoti, R R Marquardt. *Journal of Animal Science*. Savoy: Jul 2003. Vol. 81, Iss. 7; p. 1790
59. **Identification and differential expression of two thioredoxin h isoforms in germinating seeds from pea¹**
Francoise Montrichard, Michelle Renard, Fatima Alkhalfioui, Frederic D Duval, David Macherel. *Plant Physiology*. Rockville: Jul 2003. Vol. 132, Iss. 3; p. 1707
60. **CEREALS 2003: Pointing to the future for peas?**
Arable Farming. Tonbridge: Jun 30, 2003. p. 37
61. **Slick peas**
Anonymous. *Appropriate Technology*. Hemel Hempstead: Jun 2003. Vol. 30, Iss. 2; p. 8
62. **The pattern of seed development and maturation in beach pea (*Lathyrus maritimus*)**
Gurusamy Chinnasamy, Arya Kumar Bal. *Canadian Journal of Botany*. Ottawa: Jun 2003. Vol. 81, Iss. 6; p. 531
63. **Changing desiccation tolerance of pea embryo protoplasts during germination**
Karen L. Koster, Nichole Reisdorph, Jodie L. Ramsay. *Journal of Experimental Botany*. Oxford: Jun 01, 2003. Vol. 54, Iss. 387; p. 1607
64. **The transcriptional enhancer of the pea plastocyanin gene associates with the nuclear matrix and regulates gene expression through histone acetylation**
Yii Leng Chua, Lucy A Watson, John C Gray. *Plant Cell*. Rockville: Jun 2003. Vol. 15, Iss. 6; p. 1468

65. **Structure of the Developing Pea Seed Coat and the Post-phloem Transport Pathway of Nutrients**
JOOST T. VAN DONGEN, ANKIE M. H. AMMERLAAN, MADELEINE WOUTERLOOD, ADRIAAN C. VAN AELST, ADRIANUS C. BORSTLAP.
Annals of Botany. Oxford: May 2003. Vol. 91, Iss. 6; p. 729
66. **Isolation and characterization of cotyledon fibers from peas, lentils, and chickpeas**
David D Dalgetty, Byung-Kee Baik. Cereal Chemistry. St. Paul: May/June 2003.
Vol. 80, Iss. 3; p. 310
67. **Source-sink manipulations suggest an N-feedback mechanism for the drop in N² fixation during pod-filling in pea and broad bean**
Joachim Schulze. Journal of Plant Physiology. Stuttgart: May 2003. Vol. 160, Iss. 5; p. 531
68. **Seasonal changes in oleosomic lipids and fatty acids of perennial root nodules of beach pea**
Gurusamy Chinnasamy, Philip James Davis, Arya Kumar Bal. Journal of Plant Physiology. Stuttgart: Apr 2003. Vol. 160, Iss. 4; p. 355
69. **Pea tissue necrosis induced by Cucumber mosaic virus alone or together with Watermelon mosaic virus**
F Fukumoto, Y Masuda, K Hanada. Plant Disease. St. Paul: Apr 2003. Vol. 87, Iss. 4; p. 324 (5 pages)
70. **Ethylene rapidly up-regulates the activities of both monomeric GTP-binding proteins and protein kinase(s) in epicotyls of pea**
Igor E Moshkov, Galina V Novikova, Luis A J Mur, Aileen R Smith, et al. Plant Physiology. Rockville: Apr 2003. Vol. 131, Iss. 4; p. 1718
71. **Pea stands for sustainability**
Arable Farming. Tonbridge: Mar 25, 2003. p. 15
72. **Biological control of pathogens causing root rot complex in field pea using *Clonostachys rosea* strain ACM941**
Allen G Xue. Phytopathology. St. Paul: Mar 2003. Vol. 93, Iss. 3; p. 329 (7 p)
73. **Pollination-, development-, and auxin-specific regulation of gibberellin 3beta-hydroxylase gene expression in pea fruit and seeds**
Jocelyn A Ozga, Jody Yu, Dennis M Reinecke. Plant Physiology. Rockville: Mar 2003. Vol. 131, Iss. 3; p. 1137 (10 pages)

74. **The Sym35 gene required for root nodule development in pea is an ortholog of Nin from Lotus japonicus**
Alexey Y Borisov, Lene H Madsen, Viktor E Tsyganov, Yosuke Umehara, et al.
Plant Physiology. Rockville: Mar 2003. Vol. 131, Iss. 3; p. 1009 (9 pages)
75. **More market opportunities for peas**
Farmers Guardian. Tonbridge: Feb 21, 2003. p. 18
76. **The impact of fermentation and in vitro digestion on the formation of angiotensin-I-converting enzyme inhibitory activity from pea and whey protein**
V Vermeirssen, J Van Camp, K Decroos, L Van Wijmelbeke, W Verstraete.
Journal of Dairy Science. Champaign: Feb 2003. Vol. 86, Iss. 2; p. 429 (10 p)
77. **Marrowfat peas give high gross margin**
Farmers Guardian. Tonbridge: Jan 17, 2003. p. 23
78. **Mutant alleles at the rugosus loci in pea affect seed moisture sorption isotherms and the relations between seed longevity and moisture content**
T. W. Lyall, R. H. Ellis, P. John, C. L. Hedley, T. L. Wang. Journal of Experimental Botany. Oxford: Jan 02, 2003. Vol. 54, Iss. 381; p. 445
79. **Interactions between specialist and generalist natural enemies: Parasitoids, predators, and pea aphid biocontrol**
William E Snyder, Anthony R Ives. Ecology. Brooklyn: Jan 2003. Vol. 84, Iss. 1; p. 91
80. **Interaction between foliar-feeding insects, mycorrhizal fungi, and rhizosphere protozoa on pea plants**
Camilla Wamberg, Soren Christensen, Iver Jakobsen. Pedobiologia. Jena: 2003. Vol. 47, Iss. 3; p. 281
81. **Exploring symbiotic nitrogen fixation and assimilation in pea root nodules by in vivo (15)N nuclear magnetic resonance spectroscopy and liquid chromatography-mass spectrometry**
Anne Marie Scharff, Helge Egsgaard, Poul Erik Hansen, Lis Rosendahl. Plant Physiology. Rockville: Jan 2003. Vol. 131, Iss. 1; p. 367 (12 pages)
82. **The pea gene NA encodes ent-kaurenoic acid oxidase**
Sandra E Davidson, Robert C Elliott, Chris A Helliwell, Andrew T Poole, James B Reid. Plant Physiology. Rockville: Jan 2003. Vol. 131, Iss. 1; p. 335 (10 p)

83. **Pea aphid, *Acyrtosiphon pisum*, cornicle ontogeny as an adaptation to differential predation risk**
Edward B Mondor, Bernard D Roitberg. Canadian Journal of Zoology. Ottawa: Dec 2002. Vol. 80, Iss. 12; p. 2131
84. **Recognition of ERK MAP kinase by PEA-15 reveals a common docking site within the death domain and death effector domain**
Justine M. Hill, Hema Vaidyanathan, Joe W. Ramos, Mark H. Ginsberg, Milton H. Werner. EMBO Journal. Oxford: Dec 01, 2002. Vol. 21, Iss. 23; p. 6494
85. **Effects of cultivars on ensiling characteristics, chemical composition, and ruminal degradability of pea silage**
A F Mustafa, P Seguin, D R Ouellet, I Adelye. Journal of Dairy Science. Champaign: Dec 2002. Vol. 85, Iss. 12; p. 3411 (9 pages)
86. **Transmission of pigeon pea sterility mosaic virus by the eriophyid mite, *Aceria cajani* (Acari: Arthropoda)**
N K Kulkarni, P Lava Kumar, V Muniyappa, A Teifion Jones, D V R Reddy. Plant Disease. St. Paul: Dec 2002. Vol. 86, Iss. 12; p. 1297 (6 pages)
87. **Auxin regulation of the gibberellin pathway in pea**
Damina P O'Neill, John J Ross. Plant Physiology. Rockville: Dec 2002. Vol. 130, Iss. 4; p. 1974 (9 pages)
88. **Purification and cDNA Cloning of UDP-d-Glucuronate Carboxy-lyase (UDP-d-xylose Synthase) from Pea Seedlings**
Masaru Kobayashi, Hironobu Nakagawa, Izumi Suda, Isao Miyagawa, Toru Matoh. Plant & Cell Physiology. Oxford: Nov 15, 2002. Vol. 43, Iss. 11; p. 1259
89. **QTL mapping of partial resistance to field epidemics of *Ascochyta* blight of pea**
Gail M Timmerman-Vaughan, Tonya J Frew, Adrian C Russell, Tanveer Khan, et al. Crop Science. Madison: Nov/Dec 2002. Vol. 42, Iss. 6; p. 2100 (12 pages)
90. **Variation among accessions of *Pisum fulvum* for resistance to pea weevil**
S L Clement, D C Hardie, L R Elberson. Crop Science. Madison: Nov/Dec 2002. Vol. 42, Iss. 6; p. 2167 (7 pages)
91. **Expression of the 12-Oxophytodienoic Acid 10,11-Reductase Gene in the Compatible Interaction between Pea and Fungal Pathogen**

- Yasuhiro Ishiga, Akiko Funato, Tomoyuki Tachiki, Kazuhiro Toyoda, et al.
Plant & Cell Physiology. Oxford: Oct 15, 2002. Vol. 43, Iss. 10; p. 1210
92. **Environmentally friendly and sustainable pea production is the aim**
Farmers Guardian. Tonbridge: Oct 4, 2002. p. 84
93. **Drought-tolerant pigeon pea**
The Kiplinger Agric. Letter. Washington: Oct 4, 2002. Vol. 73, Iss. 20; p. 1
94. **Greener peas lead global sustainability project**
Arable Farming. Tonbridge: Sep 7, 2002. p. 12
95. **2002 loan rates for lentils and peas**
The Kiplinger Agric. Letter. Washington: Sep 6, 2002. Vol. 73, Iss. 18; p. 1
96. **The hyperhydricity of in vitro regenerants of grass pea (*Lathyrus sativus* L.) is linked with an abnormal DNA content**
Sergio Javier Ochatt, Etienne Muneaux, Carla Machado, Louis Jacas, Catherine Pontecaille. Journal of Plant Physiology. Stuttgart: Sep 2002. Vol. 159, Iss. 9; p. 1021 (8 pages)
97. **Effect of exogenous flavonoids on nodulation of pea (*Pisum sativum* L.)**
K. Novak, P. Chovanec, V. Skrdleta, Martina Kropacova, et al. Journal of Experimental Botany. Oxford: Aug 01, 2002. Vol. 53, Iss. 375; p. 1735
98. **Short-term ammonium supply stimulates glutamate dehydrogenase activity and alternative pathway respiration in roots of pea plants**
Silvia Frechilla, Berta Lasa, Manolixi Aleu, Nerea Juanarena, et al. Journal of Plant Physiology. Stuttgart: Aug 2002. Vol. 159, Iss. 8; p. 811 (8 pages)
99. **Discrete forms of amylose are synthesized by isoforms of GBASSI in pea**
Anne Edwards, Jean-Paul Vicken, Luc C J M Suurs, Richard G F Visser, et al. Plant Cell. Rockville: Aug 2002. Vol. 14, Iss. 8; p. 1767 (19 pages)
100. **A thapsigargin-sensitive Ca(2)+ pump is present in the pea golgi apparatus membrane**
Viviana R Ordenes, Francisca C Reyes, Daniel Wolff, Ariel Orellana. Plant Physiology. Rockville: Aug 2002. Vol. 129, Iss. 4; p. 1820 (9 pages)